W. C. Edwards —
106 Dwight St. Springfield Mass —
Agent for Western Mass. and Conn —

Tel. 301-4

CHARLES EMMEL,

383 Albany Street, BOSTON, MASS.

ARCHITECTURAL MODELINGS

FOR EXTERIOR AND INTERIOR USES.

FINE CARVINGS AND ARTIFICIAL MARBLE.

WESTERN DIVISION:

~~EDWIN D. WEARY, Suite 1449 Marquette Building,~~

~~CHICAGO~~.

F. W. Edwards
106 Dwight St.
Springfield Mass.

agent for Connecticut.
Western Mass.



Showing Scamozzi Capitol-Frieze Ornament and Echinus as applied to Porch.



Plan of Angular Abacus



Plan of returned Pilaster Angular



Plan of square Abacus



Plan of Pilaster Angular

In making sketches and details, architects may select sizes from our lists and specify ***Charles Emmel's capitals*** by number. In ordering, give number, height, size of neck, face and return "A." It is safest for architects or owners to order this work direct, as in so doing they are sure to get Emmel's goods. Capitals for exterior use should be flashed on top with lead. ***This material takes the place of terra cotta or stone. It is much finer in modeling and very much less expensive.***

THIS Catalogue is issued as supplementary to the more voluminous one, and is intended to meet the practical requirements of Architects and Contractors in listing sizes of capitals in the principal orders of architecture.

It will be observed that our line in capitals covers a very wide range, and it is equally complete in relief ornament of every character, a few examples of which are herein published. Our large catalogue contains several thousand specimens, and beyond that we have an almost unlimited line, the accumulation of twenty years, which it is impossible to publish. It is safe to assume that we have models of almost every conceivable ornament, so that it is simply necessary to send typical sketches for estimate or execution. We feel that any architect or expert who will critically examine this catalogue or our larger one will not fail to become impressed with the excellence of our modeling and execution.

This material is equally adapted for exterior and interior work. It possesses all the staying qualities of stone or terra cotta, is much finer in modeling and execution, and very much less expensive. It has been used freely in the East by the better class of architects during twenty years past, and because of our large accumulation of models we are enabled to make prices in competition with the many inferior lines in the market or even with amateurs.

In submitting this catalogue we have restricted the issue of our larger one, but will send it on receipt of $3.00, which cost we will remit upon receiving orders amounting to $30.00.

CHARLES EMMEL.

SCAMOZZI CAPITALS.

COLUMN

No.	Diam.	Height.
2671	1 7/16	1 5/16
2160	1 3/4	1 5/16
3966	1 7/8	1
2159	2	1
3957	2 1/8	1 1/8
3958	2 3/8	1 1/4
2672	2 9/16	1 1/4
2246	2 9/16	1 5/8
3807	2 5/8	1 9/16
3965	2 5/8	1 1/4
3736	2 7/8	2 3/8
2384	2 7/8	2 9/16
3959	3	1 7/16
3770	3	1 9/16
2790	3 1/8	2 1/8
2670	3 1/8	1 3/4
2782	3 1/4	2 1/8
2669	3 3/8	1 5/8
3960	3 1/2	1 7/16
3964	3 5/8	1 1/2
2930	3 5/8	1 7/8
2366	3 11/16	2 5/8
2366A	3 3/4	2 5/8
3682	3 7/8	1 7/8
3961	3 7/8	1 9/16
2674	4	2
3773	4	2 5/16
3682A	4 1/8	2 1/8
3962	4 1/8	1 13/16
1569	4 3/8	2 3/4
3737	4 3/8	2 5/16
2527	4 3/4	2 1/2
1423	5	3 1/4
1493	5	2 5/8
4376A	5	2 1/4
*4376	5	3 5/8
1801	5 1/2	3 1/8
3993	5 3/4	3 3/8
1818	5 7/8	3 1/8
2634	6	3
4588	6 1/4	3 5/8
2580	6 3/8	4 1/8
1798	6 1/2	4
1492	6 5/8	4 1/2
†4777	6 7/8	3 3/8
1425	6 3/4	4 1/8
2052A	6 7/8	5 1/4
4733	7 1/8	3 5/8
†4777A	7 1/4	3 1/8
1803	7 1/8	3 1/4
3081	7 1/4	4 3/4
3685	7 3/8	3 7/8
3020	7 5/8	3 1/2
4285	7 3/4	3 3/8
3869	7 7/8	2 3/4
1276	8	4 1/8
†4779	8	4
2609	8	4
4751	8	3 11/16
4506	8 1/4	3 3/8
†4779A	8 1/2	3 3/4
1787B	8 1/2	4 13/16
4731	8 1/2	3 7/8
3668	8 3/4	4 1/4
4781	8 3/4	4 1/4
4303	8 7/8	5 3/4
1787A	9	4 3/8
4781A	9 1/4	4
3648	9 1/2	4 5/8
1279	9 5/8	5 1/4
2526	9 3/4	4 1/4
1277A	9 3/4	4
3812	9 7/8	5 1/2
2999	10	4 7/16
2998	10	4 1/4
1279A	10 3/8	5 1/4
2793	10 5/8	4 3/16
4017	10 5/8	4 1/4
2180	11 1/8	5 3/8
3863	11 3/8	7 1/4
2881	12	5 3/4
2525	13	6 1/4
3128	13 5/8	6 1/4
3139	14 3/8	6 5/8
4773	15 1/4	8 1/4
2524	15 1/2	6 1/4
3629	16 1/4	9 5/8
2522	18 1/2	9 1/4
2071	20	9 3/4
4810A	21	10 1/2
4810	22	10

* Honeysnckle Neck. † Rose in center.

PILASTER

No.	Width.	Height.	Ret'n.
4861	1 1/4	5/8	sq.
4862	1 1/2	3/4	sq.
4863	1 3/4	7/8	sq.
4864	2	1	sq.
4865	2 1/4	1 1/8	sq.
2246A	2 1/16	1 5/8	sq.
4871	3	1 3/4	sq.
3127	3 1/4	2	7/8
3794	3 7/8	2 1/2	sq.
3936	4	2 11/16	sq.
3831	4 3/8	2 3/8	sq.
1797A	4 1/2	2 3/4	sq.
2635	5	2 5/8	sq.
1808	5	3 1/2	sq.
1784	5	3 1/4	sq.
2556	5 1/2	3 1/8	sq.
1806	5 1/2	2 5/8	1 3/8
2560	5 3/4	3 1/8	sq.
3994	5 3/4	3 3/8	sq.
4842	5 7/8	2 3/16	sq.
1799	5 7/8	3	sq.
2365	6 1/8	3 13/16	sq.
2614	6 1/4	3 7/8	sq.
2582	6 1/4	4 1/8	sq.
2620	6 1/2	4 1/8	sq.
1250	6 3/4	4 1/8	sq.
1250A	6 7/8	3 1/2	1 3/8
2105	7	3 1/2	sq.
1795	7	4	1 3/4
4732	7	3 5/8	2 3/8
1804	7 1/8	3 1/4	sq.
1276B	7 1/4	5 1/4	sq.
3080	7 1/4	4 3/4	sq.
1479	7 1/2	4	sq.
4174	7 1/2	4	sq.
4778A	7 1/2	3 1/2	sq.
3021	7 5/8	3 1/2	sq.
4778	7 7/8	3 3/8	sq.
4284	7 3/4	3 3/8	sq.
4589	7 3/4	3 3/4	sq.
1793	8	4	sq.
†4780	8	4	sq.
1276C	8 1/8	4 1/8	sq.
4772	8 1/2	4 1/8	sq.
4505	8 1/4	3 3/8	sq.
†4780A	8 1/2	3 3/4	sq.
2209	8 3/4	4 3/4	sq.
4782	8 3/4	4 1/4	sq.
3668A	8 3/4	4 3/4	1 1/2
3274	8 7/8	4 3/8	sq.
4304	8 7/8	5 3/4	sq.
1300	9	4 1/4	5
4782A	9 1/4	4	sq.
4555	9 1/4	3 3/4	2
2787	9 1/2	5 1/4	sq.
3909	9 5/8	4 1/16	sq.
3705	9 3/4	4	sq.
2275	9 3/4	4 1/8	sq.
3000	10	4 1/4	sq.
4633	10	5 1/2	sq.
1405	10 1/8	4 5/8	3
4752	10 1/4	4 5/8	sq.
2632	10 3/8	4 3/4	sq.
2787A	10 3/8	4 5/8	sq.
4018	10 1/2	4 1/4	sq.
2793A	10 5/8	4 3/16	sq.
2535	11	5 3/4	sq.
2534	11 3/8	4 1/4	sq.
2882	12	5 3/4	sq.
2054	12 1/4	5	sq.
4770	12 1/2	5	cor.
2536	12 5/8	6 1/4	sq.
3128A	13 5/8	6 1/4	sq.
1653	14 3/8	6 5/8	sq.
3851	15	7 7/8	sq.
4774	15 1/4	8 1/4	sq.
3851A	16 1/8	7	sq.
⅔3667	16 1/4	8 1/8	2 1/2
⅔2533	16 3/8	6 1/2	4 1/2
3851B	16 3/8	6 5/8	sq.
4504	16 1/2	8	3 3/8
3112	17	9	sq.
3881	17 1/4	7 1/2	sq.
2532	18	9 1/4	sq.
4393	21 1/2	9 1/2	4
4392	22	10	6 1/2

† Rose in center. ⅔ Corner Cap.

Rose in center is about like that shown in Corinthian cap. In all cases "diameter" means diameter at neck of column.

PILASTER. COLUMN.

SCAMOZZI CAPITALS.

ROMAN IONIC CAPITALS.

COLUMN

No	Diameter.	Height.	No.	Diameter.	Height
4847	1 1/2	3/4	1861	6 3/4	3 5/8
4848	1 3/4	7/8	1400A	6 7/8	4 1/4
4849	2	1	*1400B	7	7
4073	2 3/4	2 1/8	1400C	7 1/2	4
2085	4 1/4	2 1/2	2996	7 5/8	2 3/4
2599	4 11/16	2 3/4	2590	8	4 1/4
3906	4 3/4	2 5/8	2612	8 1/4	4 1/4
4302	5	4	4189	8 1/2	6 1/4
2591	5 3/8	3 3/8	1812	8 5/8	5 5/8
2604	5 7/8	3 3/8	4806	9 1/2	4 3/8
1422	6	4	1812A	9 1/4	5 1/8
2592	6 3/8	3 1/2	4796	10	6
4311	6 1/2	4 1/2	4187	11 3/4	6
4397	6 1/2	3 1/4	4785	16 1/2	8 3/4

* Plain Neck.

PILASTER

No.	Width.	Height.	Return.	No.	Width.	Height.	Return
4851	1 1/4	5/8	sq.	3158	5 1/2	2 3/4	sq.
4852	1 1/2	3/4	sq.	3664	5 3/4	3 5/8	sq.
4853	1 3/4	7/8	sq.	3071	5 3/4	3 3/8	sq.
4854	2	1	sq.	1290	5 3/4	3 7/8	1 3/4
4855	2 1/2	1 1/4	sq.	4398	6 1/2	3 1/4	sq.
4856	3	1 1/2	sq.	3921	7	3 1/2	1 3/8
4857	3 1/2	1 3/4	sq.	2997	7 1/2	2 3/4	sq.
4858	4	2	sq.	2997A	7 1/2	2 7/8	sq.
4859	4 1/2	2 1/4	sq.	1768A	8 1/2	4 7/16	3 7/8
4301	5 1/4	4	sq.	4084	8 3/4	6	sq.
3106	5 1/2	2 1/2	2 1/8	4786	16 1/2	8 3/4	3 3/4
3107	5 1/2	2 3/4	2 1/8				

We make any required size of any capital to order.

Pilaster caps marked "sq." are practically square column capitals. They may be sawed to make corner returns or cut in half, thus making two pilaster capitals.

These capitals do not swell, shrink, check or decay. They are in the nature of terra cotta lumber and as durable as stone.

PILASTER. COLUMN.

ROMAN IONIC CAPITALS.

GREEK IONIC CAPITALS.

COLUMN						PILASTER			
No.	Diameter.	Height.	No.	Diameter.	Height.	No.	Width.	Height.	Return.
2165	1¼	1 1/16	4574	6	4 1/8	4870	1½	¾	sq.
4866	1½	¾	4490	6½	3⅞	4625	2⅛	1⅜	sq.
2164	1⅞	1⅛	4585	7¼	4¼	2612A	3	1½	sq.
4867	2	1	4486	8	4 11/16	2183A	3¾	2	sq.
2163	2⅜	1⅜	3829	8⅞	6⅜	4575	6⅛	4 1/8	sq.
2162	3	1½	3828	9¾	6⅝	4485	7½	4 11/16	2¼
2161	3¼	1⅞	4805	11¼	7¼	4312	9¼	4¾	2¼
2183	3¾	2	3827	11⅞	7½				
4868	4½	2¼	3826	23½	14				
4869	5	2½							

Pilaster caps made in all sizes to match column capitals.

Our capitals are used freely for exterior of stone and brick buildings. The material is absolutely durable.

In ordering, give number and size, and state whether for exterior or interior use; also state whether you desire them enriched as shown in cut, or plainer in detail.

PILASTER. COLUMN.

GREEK IONIC CAPITALS.

GREEK IONIC CAPITALS.

ANGULAR.

COLUMN

No.	Diameter.	Height.	No.	Diameter.	Height.
2158	1 1/4	1 1/16	2593	6 5/8	3 1/4
4850	1 1/2	3/4	3707	6 3/4	5 1/16
2383	2	1 7/16	*2044A	7	7 3/8
3860	2 1/8	1 3/16	3707A	7 1/4	4
2157	2 1/4	1 7/16	4396	7 1/2	4 5/8
2156	2 1/2	1 5/8	*4034	7 3/4	6 7/8
2385	3	1 7/8	3001	8	5 5/8
*4195	3 1/4	3 1/16	4188	8 1/2	4 1/2
*2029	3 3/8	3 1/4	4558	10	5 1/8
4071	4 1/8	2 5/8	4789	10 3/8	6 1/4
*1788	5	4 1/2	4776	10	6
2599A	5 1/8	2 1/2	3025	12 3/4	5 3/8
2603	5 1/2	3 1/8	4659	14 3/4	8 1/4
2597	5 3/4	3 1/4	*4792	17 1/2	15 1/2
*2601	6	6 1/2	*4793	21 1/4	18 7/8
1882	6 5/8	4 1/8			

* Honeysuckle Neck.

PILASTER

No.	Width.	Height.	Return.	No.	Width.	Height.	Return.
4860	1 1/2	3/4	sq.	1278	6 3/4	4 1/4	sq.
3861	2 1/8	1 3/16	sq.	*2014	7	7 3/8	sq.
2157A	2 1/4	1 7/16	sq.	4702	7 7/8	4 3/8	2 1/2
4801	3 1/16	1 7/8	sq.	4701	8	3 11/16	6 1/8
4072	4 1/8	2 5/8	sq.	4753	8 3/4	4 1/4	sq.
3360	5 3/8	3 1/4	sq.	3027	9 3/4	5 3/4	sq.
3360A	5 1/2	3 1/8	sq.	3118	9 3/4	6 1/8	sq.
4802	5 3/4	3	2	4790	10 1/4	6 1/4	sq.
1876	6	3 5/8	sq.	†4083	11	7	2
*2602	6	6 1/2	sq.	3676	12	5 3/8	sq.
3907	6	3	1 1/2	4803	14	5 3/4	2
4787	6 3/8	4 1/8	sq.	4660	14 3/4	8 1/4	6 1/4

† Corner Cap.

Capitals marked "honeysuckle neck" have a necking like the Erechtheum cap.

This material being fibrous in character may be sawed, nailed or screwed, but being of mineral composition is not affected by atmospheric conditions and will not shrink, swell, check, decay or disintegrate.

PILASTER. COLUMN.

ANGULAR IONIC CAPITALS.

ERECHTHEUM CAPITALS.

COLUMN

No.	Diameter.	Height.	No.	Diameter.	Height.
4190	4 1/8	3 11/16	1824	9	8 3/8
2439	5	4 7/8	4807	9 3/8	6 1/4
2687	5 1/16	4 1/2	2068	10	8 3/4
2687A	5 1/8	4 1/2	3194	10	8 7/8
2067	5 1/2	4 7/8	1440	11	10 7/8
4584	6	5	1397	11 7/8	11 1/4
1849	6 1/2	5 1/2	1549	12 3/8	11 1/8
*2090	7	6 1/8	1398	14	12 1/2
2089	7	6 1/4	1644	17 1/2	14 3/4
1254	7 1/2	6 5/8	†3269	21 1/4	12 3/4
1429	8	6 9/16			

* Angular. † Has no Honeysuckle Necking.

ANTÆ

The Antæ capital is made to match any column capital. When so used the pilaster is not usually tapered and its width is the inferior diameter or size of base of the shaft of column.

These capitals may be painted or stained to match woodwork, or may be gilded and burnished — than which nothing is more beautiful. They may also be made in any color to match brick or stone.

ANTÆ COLUMN.

ERECHTHEUM CAPITALS.

CORINTHIAN CAPITALS.

COLUMN

No.	Diameter.	Height.
4672	2	3
4678	2 7/16	3
3830	2 5/8	3 7/16
2564	2 3/4	3 1/2
4872	3	4 5/8
2148	3 1/4	4 7/8
3083	3 1/2	5 1/8
1792	3 3/4	7 5/8
3873	3 3/4	5 1/4
4191	4	5 3/8
3887	4 1/8	6 1/8
2437	4 1/2	6 1/2
3917	4 1/4	6 1/8
2437A	4 3/4	6 3/8
1414	5	7
1414A	5	7 7/8
1418	5 1/2	7 5/8
3864	6	8 1/2
3617A	6 3/8	8 5/8
1420	6 3/4	10 1/8
1249	7	10 3/4
4323	7 1/8	8 3/8
1687	7 1/2	10 5/8
4196	7 1/2	11
4436	7 7/8	11 1/8
1687A	7 7/8	10 3/4
2520	8 1/2	12 1/2
4174A	8 1/2	12
2081	10	14 1/2
2588	11 1/2	15 3/8
4769	15	21 1/2
3643	16 1/2	22 1/4
3815	18	23 3/8
2578	22 1/2	30 1/2

PILASTER

No.	Width.	Height.	Return.
4673	2	3	sq.
4873	3	4 5/8	sq.
3179	3	3 5/8	sq.
3082	3 1/2	5 1/8	1 3/8
3886	4 1/8	6 1/8	sq.
4616	4 5/8	6 13/16	1 1/8
3658	4 3/4	8 3/4	1 1/4
3461	5	7 7/8	2 3/4
1665	5 1/2	6 5/8	1
2676	6	7 3/4	3
3865	6	8 1/2	sq.
2394	6 1/4	8 1/2	sq.
3618	6 3/8	8 5/8	sq.
2571	6 7/8	10	2
2797	7	9	2
4197	7 1/2	11	1 1/4
2049	7 3/4	11	2 5/8
2569	7 7/8	11 1/8	sq.
4507	7 7/8	11 1/8	sq.
4394	8 1/2	11 1/8	sq.
4173	8 1/2	12	1 1/2
2846	8 3/4	10 7/8	sq.
2568	8 3/4	12 5/8	2 3/4
3661	9	11	sq.
2567	10	14 1/4	3 5/8
2566	11 1/2	15 3/8	sq.
1746	12	16 3/8	3 1/2
3662	12 1/4	13 7/8	sq.
3113	13	17 1/2	sq.
*4784	14	16 1/4	3 7/8
3634	16 1/2	22 1/4	4
3816	18	23 3/8	1/4

* Corner Cap.

The artistic value and truthfulness of our modeling is apparent. Its durability is attested by twenty years of application.

In all cases "diameter" means diameter of neck of column.

In ordering, give number and size, and state whether for exterior or interior use.

Pilaster caps marked "sq." have four faces, but may be sawed.

PILASTER. COLUMN.

CORINTHIAN CAPITALS.

COMPOSITE CAPITALS.

COLUMN

No.	Diameter.	Height.	No.	Diameter.	Height.
2153	$1\frac{11}{16}$	$2\frac{11}{16}$	3883	$3\frac{1}{2}$	6
1408	$2\frac{1}{4}$	$4\frac{1}{8}$	1410	$3\frac{7}{8}$	6
3943	$2\frac{1}{4}$	$3\frac{5}{8}$	4798	4	$4\frac{15}{16}$
4277	$2\frac{5}{8}$	$4\frac{3}{8}$	3912	$4\frac{7}{8}$	$7\frac{7}{8}$
2152	$2\frac{5}{8}$	$3\frac{3}{4}$	1419	$5\frac{1}{2}$	$9\frac{1}{8}$
1857	$2\frac{5}{8}$	5	3191	6	$8\frac{7}{8}$
2151	$2\frac{7}{8}$	$4\frac{1}{8}$	*4488	$6\frac{1}{4}$	$10\frac{5}{8}$
1409A	3	$5\frac{3}{4}$	*4487	$8\frac{1}{4}$	$10\frac{5}{8}$
1409	$3\frac{1}{8}$	$5\frac{3}{8}$	2908	$8\frac{1}{4}$	$12\frac{1}{4}$

* Has $\frac{5}{8}$-in. Neck Molding.

PILASTER

No.	Width.	Height.	Return.
3837	3	$3\frac{1}{2}$	$\frac{7}{8}$
3954	$3\frac{1}{8}$	$5\frac{5}{16}$	sq.
1410A	$3\frac{7}{8}$	6	sq.
1270	6	$6\frac{1}{4}$	sq.
2908A	$8\frac{1}{4}$	$12\frac{1}{4}$	sq.

We make any capital, in sizes other than herein listed, to order. We have every conceivable model for ornamental relief work in staff, papier-maché and compo. Our large catalogue illustrates thousands of specimens.

Our capitals do not shrink, swell, check or decay. They are as durable as stone, being in the nature of terra cotta lumber, and may be made in any color.



PILASTER. COLUMN.

COMPOSITE CAPITALS.

ITALIAN CAPITALS.

COLUMN

No.	Diameter.	Height.
2155	1 1/16	2 3/8
4070	1 3/4	2 3/4
2627	1 7/8	3 1/8
1407	2	2 7/8
2154	2	2 7/8
3703	2 1/4	3 5/8
2503	2 1/2	4 3/8
1295	2 5/8	4 3/8
2150	2 3/4	4 1/2
3699	2 3/4	4 1/8
4087	3 1/4	4 1/4
1294	3 1/4	5 1/16
2149	3 1/4	4 15/16
3070	3 1/4	4 13/16
4840	3 3/8	4 1/2
1427A	4	4 3/4
*4447	4	5 1/8
4014	4	6 1/8
1255	4 1/4	5 3/4
4767	4 1/4	6 1/2
1255B	4 3/8	5 3/4
1255A	4 1/2	5 3/4
4015	4 1/2	5 3/8
4809	4 1/2	6 1/8
4788	5 1/8	5 7/8
*2320	5	6 3/4
2773	5	7
†3408A	5 1/2	6 11/16
4613	5 1/2	6 3/8
1745	5 3/4	8 1/4
2701	6	8 5/16
2207	6	8 3/8
4000	6	7 1/8
‡2515	6 1/8	6 3/4
‖1823	6 1/4	9
1411	6 3/8	4 1/2
1415	6 3/8	7
3409	6 7/8	¶10
4693	7	8 1/2
4140	7	8 5/8
⁋2016	7 1/2	10 3/8
¶2016 A	7 1/2	8 1/4
4692	7 1/2	8 7/8
4799	8 1/2	9 3/8
3276	8 5/8	8 5/8
4682	8 5/8	7
**4446	8 7/8	6 1/8
3843	10 1/4	11 1/2
*3639	10 3/8	14 1/4

* Dolphin Volute.
† Griffin Volute.
‡ Cupid Center.
‖ 1-in. Necking included.
⁋ With Neck.
¶ Without Neck.

** Cap has ½-in. Neck Mold.
†† Corner Cap, with 2¼-in. Neck Molding.
‡‡ Corner Cap.

PILASTER

No.	Width.	Height.	Return.
3798	1 1/2	2 1/4	sq.
1407A	2	2 7/8	sq.
1406	2 3/8	3	sq.
3111	2 3/4	4 3/8	sq.
4088	3	4 1/8	sq.
2675	3 1/2	4	7/8
4841	3 5/8	3 1/2	sq.
4068	3 5/8	4 1/4	sq.
1853	3 7/8	4	1/16
1744	4	5	sq.
1538A	4 1/8	5 1/4	3/4
4768	4 1/4	6 1/2	sq.
3809	4 1/2	6	sq.
2934	4 1/2	4 3/4	sq.
2518	4 3/4	5	2 1/8
1930	4 3/4	6 7/8	1 1/8
*3701	5	6	5/8
*3700	5 1/8	6 5/8	1 1/2
1791	5 3/8	7 1/4	5/8
2099	5 3/8	7 1/4	5/8
3797	5 1/2	6 3/4	sq.
1747	5 5/8	8	3/4
1544	5 3/4	4 3/8	1
2296	5 3/4	6 1/2	1 5/8
4681	5 3/4	6 1/8	1 1/4
*3460	6	7 1/2	1 3/4
3460A	6	7 1/8	1 7/8
2134	6	8 5/8	sq.
4577	6 1/8	4 1/2	1 7/8
3759	6 1/8	8 3/8	1 7/8
1412	6 1/4	4 5/8	sq.
1543	6 1/4	7	1 3/4
1416	6 1/4	7	sq.
4253	6 1/4	6 1/8	1 1/4
4255	6 5/16	6 11/16	sq.
1293	6 3/4	9	1 1/2
3644	6 7/8	10 1/8	2
‡‡2786	7	8 3/4	7/8
4141	7	8 5/8	sq.
4433	7	8 3/8	sq.
2742A	7 1/8	6 1/4	1 1/4
1245	7 1/4	10	2 5/16
3089	7 3/8	10 5/8	3 1/2
1772	7 3/4	11	1 1/2
‡‡2785	7 3/4	9 3/4	3/4
‡‡2785A	8	9 3/4	7/8
1414B	8	9 5/8	4 1/4
4703	8	8 5/8	1 3/4
3999	8	7 1/2	sq.
3723	8 1/4	13	2 3/4
4800	8 1/2	9 3/8	sq.
3636	8 3/8	11 7/8	2
4683	8 5/8	7	4 3/4
3659	8 5/8	8 1/8	sq.
4609	9	13	sq.
3663	9 1/2	13	2
4617	10	8 5/8	3 1/8
3944	10	14 1/4	2 5/8
3882	11 1/4	11 1/2	sq.
1856	11 3/8	15 3/8	1 1/2
3631	11 3/4	12 3/4	2 5/8
3069	12	15	sq.
3724	16 1/8	21	4 1/2
††3735	18 1/8	20 3/8	2 1/8

The modeling in the Italian order varies somewhat — some of the capitals have dolphin volutes, etc., but all are correct and excellent. Corner caps have two faces and are returned.

COLUMN. PILASTER.

ITALIAN CAPITALS.

MODILLIONS.

RENAISSANCE

FINE DETAIL.

No.	Projection.	Drop.	Face.
3696	2⅜	1 1/16	1 1/16
4717	3 *	1 1/8	1⅝
3654	4¼	3	2⅞
4833	4½	2 1/16	1⅞
4830	4¾	2¾	1⅞
3041	4¾	1½	2½
4572	4⅞	6⅞	3
3062	5 1/8	5	2 1/8
3652	5 1/8 *	2⅝	3⅝
4832	5 1/8 *	1⅞	3½
4831	5¼ *	1⅜ *	2 1/16
4563	5⅝ *	2¾	4
4663	5¾ *	4 1/8 *	2½
4694	6 *	7 *	3¼
4238	6 *	2¼	3⅝
4829	6¾ *	5 *	2
4109	6⅞ *	3	3½
4679	7 *	3⅜ *	2¾
3715	8 *	3 15/16	4½
3984	8 *	10¾ *	12¼
4095	8¼ *	3½	3⅛
4836	9⅛ *	4 *	5
4110	10⅛ *	3½	5⅜
4835	11⅜ *	5⅝ *	4¾
2965	12 *	7 *	6
4834	14 1/16 *	11½ *	11 9/16
3217	18 *	10 *	10

RENAISSANCE

BOLD DETAIL.

No.	Projection.	Drop.	Face.
4824	6⅛ *	2 3/16	4
4299	6⅝ *	3¾	3⅛
4827	8¼ *	4¼	3⅛
4300	9¼ *	4⅝	3⅞
4825	9¼ *	4¼	4¼
4503	10 *	7½ *	8
4823	10⅛ *	4⅛ *	5
4821	10⅜ *	4¾	4¾
4826	11½ *	5⅛	5⅛
4820	12⅝ *	5¾	5¾
4819	12¾ *	7¼	7⅜
4817	13½ *	5⅛	7¼
2937	15 *	9 *	9½
4822	15⅜ *	7 3/16	6½
4828	16	8¼	11¼
4816	17 *	8⅛ *	10
4815	17⅛ *	6¼	9
4818	22¼ *	10	12⅞
4814	24 *	5 13/16	4¾

* These modillions have the abacus or cap molding on the side so marked only, although it can be added to any side. Width of face includes this molding. This molding may be coped at the heel to fit the bed molding of cornice.

GREEK

No.	Projection.	Drop.	Face.
4561	3¾ *	1⅞	3
†3653	3⅞	1⅝	2¾
4283	5¼ *	2⅜	3 5/16
†4838	6¼	3⅛	4 1/16
†4837	7¼	3 1/16	3¾
4724	8¼ *	4¾	5¼
4722	9⅜ *	4⅞	5¼
3677	9⅝ *	5½	6
4839	11¼ *	5 1/16	7⅛
2931	12 *	4⅛	5⅛
3732	20¾ *	10⅝	11⅜

† Plain Leaf.

We make modillions, corbels and brackets in every conceivable size and shape. We have classified them as "fine detail," "bold detail," the latter being better adapted for exterior use or greater height. ***They are as durable as stone and adapted for cornices. May be made in any color.***

GREEK. BOLD DETAIL. FINE DETAIL.

MODILLIONS.

We have models in every conceivable design and size, for papier-maché and composition, for interior work. It is as hard as flint, and may be painted, enameled, gilded or stained to match woodwork.

Our large catalogue contains several thousand specimens, and will be sent upon receipt of $3.00 to cover cost, which sum will be remitted upon receipt of orders amounting to $30.00.



For Exterior Use. We make everything in the nature of gable ornaments, window panels, frieze ornaments, moldings, etc. Equally adapted for wood, stone or brick buildings. May be made in any color to match brick.

From a Colored Rendering, showing Emmel's Modeling as applied to a Colonial Residence.


THE HENRY
O SHEPARD
CO
AL PAY
CHICAGO